Parasite Immunology 1987, **9**, 761–766

Author index to Volume 9

ABE T. & NAWA Y. Reconstitution of mucosal mast cells in W/W^v mice by adoptive transfer of bone marrow-derived cultured mast cells and its effects on the protective capacity to *Strongyloides ratti* infection 31

ABE T. & NAWA Y. Localization of mucosal mast cells in W/W^v mice after reconstitution with bone marrow cells or cultured mast cells, and its relation to the protective capacity to *Strongyloides ratti* infection 477

ALCINA A. & FRESNO M. Activation by synergism between endotoxin and lymphokines of the mouse macrophage cell line J774 against infection by *Trypanosoma cruzi* 175

ALEXANDER J., *see* DE ROSSELL R.A. *et al.*

ALKAN S., *see* JONES T.C. *et al.*

ALLEN J.R., *see* GORDON J.R. & ALLEN J.R.

ALMEIDA R.P., *see* BARRAL A. *et al.*

ANAND R., *see* WILSON C.F. *et al.*

ANTEUNIS A., *see* GANSMULLER A. *et al.*

ARAGUTH M.F., *see* YOSHIDA N. & ARAGUTH M.F.

ARELLANO J., ISIBASI A., MIRANDA R., HIGUERA F., GRANADOS J. & KRETSCHMER R.R. HLA antigens associated to amoebic abscess of the liver in Mexican mestizos 757

AULI H., *see* GOLD D. *et al.*

BADLEY J.E., GRIEVE R.B., ROCKEY J.H. & GLICKMAN L.T. Immune-mediated adherence of eosinophils to *Toxocara canis* infective larvae: the role of excretory-secretory antigens 133

BALDWIN C.L., GODDEERIS B.M. & MORRISON W.I. Bovine helper T-cell clones specific for lymphocytes infected with *Theileria parva* (Muguga) 499

BARRAL A., JESUS A.R., ALMEIDA R.P., CARVALHO E.M., ROCHA H. & JOHNSON W.D. Evaluation of T-cell subsets in the lesion infiltrates of human cutaneous and mucotaneous leishmaniasis 487

BEALL J.A., *see* MILNER A.R. *et al.*

BEHNKE J.M., *see* DEHLAWI M.S. *et al.*

BELL R.G., *see* WANG C.H. & BELL R.G.

BELOSEVIC M. & FAUBERT G.M. Lysis and immobilization of *Giardia muris* trophozoites *in vitro* by immune serum from susceptible and resistant mice 11

BINAGHI R.A., *see* GANSMULLER A. *et al.*

BLACKWELL J.M., *see* CROCKER P.R. *et al.*

BOON T., *see* MARCHAND M. *et al.*

BRAGA M., *see* SISLEY B.M. *et al.*

BRAY R.S., *see* DE ROSSELL R.A. *et al.*

BRENER Z., *see* LAGES-SILVA E. *et al.*

BROWN D., *see* HUNTLEY J.F. *et al.*

BRUSCHI F., *see* GANSMULLER A. *et al.*

BURKE J., *see* MAIZELS R.M. *et al.*

CABRERA Z. & PARKHOUSE R.M.E. Isolation of an antigenic fraction for diagnosis of onchocerciasis 39

CAMPOS-NETO A., *see* SARTORI A. *et al.*

CARR A. & PRITCHARD D.I. Antigen expression during development of the human hookworm, *Necator americanus* (Nematoda) 219

CARVALHO E.M., *see* BARRAL A. *et al.*

CATTY D., *see* JASSIM A. *et al.*

CLARK J.T., *see* WILSON C.F. *et al.*

COLE G.A., *see* NICKELL S.P. *et al.*

COX J., SEMOFF S. & HOMMEL M. *Plasmodium chabaudi*: a rodent malaria model for in-vivo and in-vitro cytoadherence of malaria parasites in the absence of knobs 543

COX J.G., *see* SALATA R.A. *et al.*

CROCKER P.R., DAVIES E.V. & BLACKWELL J.M. Variable expression of the murine natural resistance gene *Lsh* in different macrophage populations infected *in vitro* with *Leishmania donovani* 705

DAOUD S., *see* MARCHAND M. *et al.*

DAVIES E.V., *see* CROCKER P.R. *et al.*

DAVIS W.C., *see* ELLIS J.A. *et al.*

DE OLIVEIRA A.V., *see* SARTORI A. *et al.*

DE ROSSELL R.A., BRAY R.S. & ALEXANDER J.

The correlation between delayed hypersensitivity, lymphocyte activation and protective immunity in experimental murine leishmaniasis 105

DEAN R.T., *see* ROSSI B.C. *et al.*

DEHLAWI M.S., WAKELIN D. & BEHNKE J.M. Suppression of mucosal mastocytosis by infection with the intestinal nematode *Nematospiroides dubius* 187

DENHAM D.A., *see* MAIZELS R.M. *et al.*

DESCAMPS-LATSCHA B., LUNEL-FABIANI F., KARABINIS A. & DRUILHE P. Brief communication: Generation of reactive oxygen species in whole blood from patients with acute falciparum malaria 275

DEVANEY E. Brief communication: Preliminary studies on the characterization of the M_r 30 000 surface antigen of *Brugia pahangi* 401

DIESFELD H.J., *see* LUCIUS R. *et al.*

DOUGAN G., HORMAECHE C.E. & MASKELL D.J. Point of view: Live oral *Salmonella* vaccines: potential use of attenuated strains as carriers of heterologous antigens to the immune system 151

DRUILHE P., *see* DESCAMPS-LATSCHA B. *et al.*

DWINGER R.H., MURRAY M & MOLOO S.K. Potential value of localized skin reactions (chancres) induced by *Trypanosoma congolense* transmitted by *Glossina morsitans centralis* for the analysis of metacyclic trypanosome populations 353

EL SHEIKH H.H., *see* SISLEY B.M. *et al.*

ELLIS J.A., SCOTT J.R., MACHUGH N.D., GETTINBY G. & DAVIS W.C. Peripheral blood leucocyte subpopulation dynamics during *Trypanosoma congolense* infection in Boran and N'Dama cattle: an analysis using monoclonal antibodies and flow cytometry 363

ERB P., *see* JONES T.C. *et al.*

FAUBERT G.M., *see* BELOSEVIC M. & FAUBERT G.M.

FINE E., INSELBURG J., OBEING J. & HANSON A. *Plasmodium falciparum*-inhibitory monoclonal antibodies produced by human hybridomas 305

FREEMAN R.R., *see* NICKELL S.P. *et al.*

FRESNO M., *see* ALCINA A. & FRESNO M.

GANSMULLER A., ANTEUNIS A., VENTURIELLO S.M., BRUSCHI F. & BINAGHI R.A. Antibody-dependent in-vitro cytotoxicity of newborn *Trichinella spiralis* larvae: nature of the cells involved 281

GETTINBY G., *see* ELLIS J.A. *et al.*

GIBSON S., *see* HUNTLEY J.F. *et al.*

GLICKMAN L.T., *see* BADLEY J.E. *et al.*

GODDEERIS B.M., *see* BALDWIN C.L. *et al.*

GODDEERIS B.M., *see* MORRISON W.I. *et al.*

GOLD D., AULI H. & KEISARI Y. Brief communication: Comparative inflammatory reactions in mice and hamsters to *Entamoeba histolytica* 145

GORDON A.M.S., *see* KENNEDY M.W. *et al.*

GORDON J.R. & ALLEN J.R. Isolation and characterization of salivary antigens from the female tick, *Dermacentor andersoni* 337

GRANADOS J., *see* ARELLANO J. *et al.*

GRANT R.F., *see* LEID R.W. *et al.*

GRIEVE R.B., *see* BADLEY J.E. *et al.*

GROOCOCK C.M., *see* MORRISON W.I. *et al.*

HANSON A., *see* FINE E. *et al.*

HARRISON L.J.S., *see* PARKHOUSE R.M.E. & HARRISON L.J.S.

HASSAN K., *see* JASSIM A. *et al.*

HIGUERA F., *see* ARELLANO J. *et al.*

HOMMEL M., *see* COX J. *et al.*

HORMAECHE C.E., *see* DOUGAN G. *et al.*

HUNTLEY J.F., GIBSON S., BROWN D., SMITH W.D., JACKSON F. & MILLER H.R.P. Systemic release of a mast cell proteinase following nematode infections in sheep 603

INSELBURG J., *see* FINE E. *et al.*

ISIBASI A., *see* ARELLANO J. *et al.*

JACKSON F., *see* HUNTLEY J.F. *et al.*

JAMES S.L. Induction of protective immunity against *Schistosoma mansoni* by a non-living vaccine. V. Effects of varying the immunization and infection schedule and site 531

JASSIM A., CATTY D. & HASSAN K. Antibody isotypes of immune complexes in schistosomiasis mansoni in Sudan 651

JASSIM A., HASSAN K. & CATTY D. Antibody isotypes in human schistosomiasis mansoni 627

JESUS A.R., *see* BARRAL A. *et al.*
JOHNSON W.D., *see* BARRAL A. *et al.*
JONES T.C., ALKAN S. & ERB P. Murine spleen and lymph node cellular composition and function during cyclophosphamide and splenectomy induced resistance to *Toxoplasma gondii* 117

KAMIYA H., SMITHERS S.R. & MCLAREN D.J. *Schistosoma mansoni*: autoradiographic tracking studies of isotopically-labelled challenge parasites in naive and vaccinated CBA/Ca mice 515
KAPAUN A., *see* LUCIUS R. *et al.*
KARABINIS A., *see* DESCAMPS-LATSCHA B. *et al.*
KASPER L.H. Isolation and characterization of a monoclonal anti-P30 antibody resistant mutant of *Toxoplasma gondii* 433
KEISARI Y., *see* GOLD D. *et al.*
KEMP S.J., *see* MORRISON W.I. *et al.*
KEMP W.M., *see* RASMUSSEN K.R. & KEMP W.M.
KENNEDY M.W., GORDON A.M.S., TOMLINSON L.A. & QURESHI F. Brief communication: Genetic (major histocompatibility complex?) control of the antibody repertoire to the secreted antigens of *Ascaris* 269
KENNEDY M.W., MAIZELS R.M., MEGHJI M., YOUNG L., QURESHI F. & SMITH H.V. Species-specific and common epitopes on the secreted and surface antigens of *Toxocara cati* and *Toxocara canis* infective larvae 407
KRETSCHMER R.R., *see* ARELLANO J. *et al.*
KRETTLI A.U., *see* LAGES-SILVA E. *et al.*
KUMAR N. Target antigens of malaria transmission blocking immunity exist as a stable membrane bound complex 321

LAGES-SILVA E., RAMIREZ L.E., KRETTLI A.U. & BRENER Z. Effect of protective and non-protective antibodies in the phagocytosis rate of *Trypanosoma cruzi* blood forms by mouse peritoneal macrophages 21
LAMMAS D.A., MITCHELL L.A. & WAKELIN D. Adoptive transfer of enhanced eosinophilia and resistance to infection in mice by an *in vitro* generated T-cell line specific for *Mesocestoides corti* larval antigen 591
LEID R.W., GRANT R.F. & SUQUET C.M. Inhibition of equine neutrophil chemotaxis and chemokinesis by a *Taenia taeniaeformis* proteinase inhibitor, taeniaestatin 195
LI M. & LI Y.J. The production of reactive oxygen species in mice infected or immunized with *Plasmodium berghei* 293
LI Y., *see* ZHOU W. & LI Y.
LI Y.J., *see* LI M. & LI Y.J.
LOUIS J., *see* MARCHAND M. *et al.*
LUCIUS R., KAPAUN A. & DIESFELD H.J. *Dipetalonema viteae* infection in three species of rodents: species specific patterns of the antibody response 67
LUNEL-FABIANI F., *see* DESCAMPS-LATSCHA B. *et al.*
LUTY A.J.F., *see* SISLEY B.M. *et al.*

MACHUGH N.D., *see* ELLIS J.A. *et al.*
MACKENZIE C.D., *see* SISLEY B.M. *et al.*
MAIZELS R.M., BURKE J. & DENHAM D.A. Phosphorylcholine-bearing antigens in filarial nematode parasites: analysis of somatic extracts, in-vitro secretions and infection sera from *Brugia malayi* and *B. pahangi* 49
MAIZELS R.M., *see* KENNEDY M.W. *et al.*
MARCHAND M., DAOUD S., TITUS R.G., LOUIS J. & BOON T. Variants with reduced virulence derived from *Leishmania major* after mutagen treatment 81
MASKELL D.J., *see* DOUGAN G. *et al.*
MAUËL J., *see* PHAM T.-V. & MAUËL J.
MCBRIDE J.S., *see* WILSON C.F. *et al.*
MCLAREN D.J., STRATH M. & SMITHERS S.R. *Schistosoma mansoni*: evidence that immunity in vaccinated and chronically infected CBA/Ca mice is sensitive to treatment with a monoclonal antibody that depletes cutaneous effector cells 667
MCLAREN D.J., *see* KAMIYA H. *et al.*
MEGHJI M., *see* KENNEDY M.W. *et al.*
MILLER H.R.P., *see* HUNTLEY J.F. *et al.*
MILNER A.R., BEALL J.A. & ORWAT A. Two-dimensional electrophoretic comparison of the antigens and biosynthetically labelled proteins of *Trichostrongylus colubriformis* and *Ostertagia circumcincta* 615
MINJA S.H., *see* NANTULYA V.M. *et al.*
MIRANDA R., *see* ARELLANO J. *et al.*

MITCHELL L.A., *see* LAMMAS D.A. *et al.*
MOLOO S.K., *see* DWINGER R.H. *et al.*
MORRISON W.I., GODDEERIS B.M., TEALE A.J., GROOCOCK C.M., KEMP S.J. & STAGG D.A. Cytotoxic T-cells elicited in cattle challenged with *Theileria parva* (Muguga): evidence for restriction by class I MHC determinants and parasite strain specificity 563
MORRISON W.I., *see* BALDWIN C.L. *et al.*
MURRAY M., *see* DWINGER R.H. *et al.*
MUSOKE A.J., *see* NANTULYA V.M. *et al.*

NANTULYA V.M., MUSOKE A.J., RURANGIRWA F.R., SAIGAR N. & MINJA S.H. Monoclonal antibodies that distinguish *Trypanosoma congolense*, *T. vivax* and *T. brucei* 421
NAWA Y., *see* ABE T. & NAWA Y.
NICKELL S.P., FREEMAN R.R. & COLE G.A. Depression of virus-specific cytotoxic T-cell responses during murine malaria 161

OBEING J., *see* FINE E. *et al.*
O'DAY J., *see* SISLEY B.M. *et al.*
ORWAT A., *see* MILNER A.R. *et al.*

PARKHOUSE R.M.E. & HARRISON L.J.S. Brief communication: Cyst fluid and surface associated glycoprotein antigens of *Taenia* sp. metacestodes 263
PARKHOUSE R.M.E., *see* CABRERA Z. & PARKHOUSE R.M.E.
PAVIA C.S. Thymocyte-dependent immunity to toxoplasmosis in the normal and immunocompromised guinea-pig host 205
PHAM T.-V. & MAUËL J. Studies on intracellular killing of *Leishmania major* and lysis of host macrophages by immune lymphoid cells *in vitro* 721
PINDER M., VAN MELICK A. & VERNET G. Brief communication: Analysis of protective epitopes on the variant surface glycoprotein of a *Trypanosoma brucei brucei* (DiTat 1.3.) using monoclonal antibodies 395
PINDER M., *see* ROELANTS G.E. & PINDER M.
PRITCHARD D.I., *see* CARR A. & PRITCHARD D.I.

QURESHI F., *see* KENNEDY M.W. *et al.*

RAMIREZ L.E., *see* LAGES-SILVA E. *et al.*
RASMUSSEN K.R. & KEMP W.M. *Schistosoma mansoni*: interactions of adult parasites with the complement system 235
RAVDIN J.I., *see* SALATA R.A. *et al.*
ROCHA H., *see* BARRAL A. *et al.*
ROCKEY J.H., *see* BADLEY J.E. *et al.*
ROELANTS G.E. & PINDER M. The virulence of *Trypanosoma congolense* can be determined by the antibody response of inbred strains of mice 379
ROQUE-BARREIRA M.C., *see* SARTORI A. *et al.*
ROSSI B.C., DEAN R.T. & TERRY R.J. Macrophage procoagulant activity in experimental African trypanosomiasis 683
ROSSI B.C., DEAN R.T. & TERRY R.J. T-lymphocyte requirement for the induction of mouse macrophage procoagulant activity by *Trypanosoma brucei* 697
ROSSI M.A., *see* SARTORI A. *et al.*
RURANGIRWA F.R., *see* NANTULYA V.M. *et al.*

SAIGAR N., *see* NANTULYA V.M. *et al.*
SALATA R.A., COX, J.G. & RAVDIN J.I. The interaction of human T-lymphocytes and *Entamoeba histolytica*: killing of virulent amoebae by lectin-dependent lymphocytes 249
SARTORI A., DE OLIVEIRA A.V., ROQUE-BARREIRA M.C., ROSSI M.A. & CAMPOS-NETO A. Immune complex glomerulonephritis in experimental kala-azar 93
SAUL A. Point of view: Kinetic constraints on the development of a malaria vaccine 1
SCOTT D.W., *see* TARLETON R.L. & SCOTT D.W.
SCOTT J.R., *see* ELLIS J.A. *et al.*
SEMOFF S., *see* COX J. *et al.*
SISLEY B.M., MACKENZIE C.D., STEWARD M.W., WILLIAMS J.F., O'DAY J., LUTY A.J.F., BRAGA M. & EL SHEIKH H.H. Associations between clinical disease, circulating antibodies and Clq-binding immune complexes in human onchocerciasis 447
SMITH H.V., *see* KENNEDY M.W. *et al.*
SMITH W.D., *see* HUNTLEY J.F. *et al.*
SMITHERS S.R., *see* KAMIYA H. *et al.*

SMITHERS S.R., *see* MCLAREN D.J. *et al.*
STAGG D.A., *see* MORRISON W.I. *et al.*
STEWARD M.W., *see* SISLEY B.M. *et al.*
STRATH M., *see* MCLAREN D.J. *et al.*
SUQUET C.M., *see* LEID R.W. *et al.*

TARLETON R.L. & SCOTT D.W. Initial induction of immunity, followed by suppression of responses to parasite antigens during *Trypanosoma cruzi* infection of mice 579
TEALE A.J., *see* MORRISON W.I. *et al.*
TERRY R.J., *see* ROSSI B.C. *et al.*
TITUS R.G., *see* MARCHAND M. *et al.*
TOMLINSON L.A., *see* KENNEDY M.W. *et al.*

VAN MELICK A., *see* PINDER M. *et al.*
VENTURIELLO S.M., *see* GANSMULLER A. *et al.*
VERNET G., *see* PINDER M. *et al.*

WAKELIN D., *see* DEHLAWI M.S. *et al.*
WAKELIN D., *see* LAMMAS D.A. *et al.*
WANG C.H. & BELL R.G. *Trichinella spiralis*: Intestinal expression of systemic stage-specific immunity to newborn larvae 465
WILLIAMS J.F., *see* SISLEY B.M. *et al.*
WILSON C.F., ANAND R., CLARK J.T. & MCBRIDE J.S. Topography of epitopes on a polymorphic schizont antigen of *Plasmodium falciparum* determined by the binding of monoclonal antibodies in a two-site radioimmunoassay 737

YOSHIDA N. & ARAGUTH M.F. Brief communication: Trypanolytic activity and antibodies to metacyclic trypomastigotes of *Trypanosoma cruzi* in non-Chagasic human sera 389
YOUNG L., *see* KENNEDY M.W. *et al.*

ZHOU W. & LI Y. Anti-idiotypic antibodies: preparation and identification; application to the detection of antigens of *Plasmodium falciparum* 747